

Notice of References Cited	Application/Control No. 09/943,286	Applicant(s)/Patent Under Reexamination NUNOMURA, KIYOTADA	
	Examiner Teresa E Strzelecka	Art Unit 1637	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-			
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Rosenstraus, M. et al., "An Internal Control for Routine Diagnostic PCR: Design, Properties, and Effect on Clinical Performance", J. Clin. Microbiol., vol. 36, pp. 191-198 (January 1998).
	V	Kricka, L.J., "Chemiluminescent and Bioluminescent Teachniques", Clin. Chem., vol. 37, pp. 1472-1481 (1991).
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.